AL-W Special Additive

Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law.
Issue date: 10/31/2024 Version: 1.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form	:	Mixture
Product name	:	AL-W Special Additive
Product code	:	A1100
Type of product	:	Solution
Product group	:	Trade product

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category	:	Industrial use
Industrial/Professional use spec	:	For professional use only Industrial

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Manufacturer
Cambrian Solvents Ltd
Mochdre Industrial Estate
SY16 4LE Newtown – Powys
Wales
T 01686 627 158

1.4. Emergency telephone number

Emergency number	:	01686 627 158

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to GB CLP (SI 2019:720 as amended)

Acute toxicity (oral), Category 4	H302
Acute toxicity (dermal), Category 4	H312
Acute toxicity (inhalation:vapour) Category 4	H332
Skin corrosion/irritation, Category 1	H314
Serious eye damage/eye irritation, Category 1	H318
Specific target organ toxicity – Single exposure, Category 3, Respiratory tract irritation	H335

Full text of H- and EUH-statements: see section 16


Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements

Labelling according to GB CLP (SI 2019:720 as amended)

Hazard pictograms (GB CLP) :



GHS05 GHS07

Signal word (GB CLP)	:	Danger
Contains	:	2-aminoethanol; ethanolamine; Potassium Hydroxide; Caustic Potash

Hazard statements (GB CLP)	:	H302+H312+H332 - Harmful if swallowed, in contact with skin or if inhaled. H314 - Causes severe skin burns and eye damage. H335 - May cause respiratory irritation.
Precautionary statements (GB CLP)	:	P260 - Do not breathe vapours. P264 - Wash hands, forearms and face thoroughly after handling. P270 - Do not eat, drink or smoke when using this product. P271 - Use only outdoors or in a well-ventilated area. P280 - Wear protective clothing, eye protection, face protection. P301+P312 - IF SWALLOWED: Call doctor if you feel unwell.

2.3. Other hazards

Component	
Substance(s) not meeting the PBT criteria of UK REACH regulation, in accordance with Annex XIII	2-aminoethanol; ethanolamine (141-43-5), Potassium Hydroxide; Caustic Potash (1310-58-3)
Substance(s) not meeting the vPvB criteria of UK REACH regulation, in accordance with Annex XIII	2-aminoethanol; ethanolamine (141-43-5), Potassium Hydroxide; Caustic Potash (1310-58-3)

Component	
Substance(s) not included in the list established in accordance with Article 59(1) of UK REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in GB BPR and GB PPP	2-aminoethanol; ethanolamine(141-43-5), Potassium Hydroxide; Caustic Potash(1310-58-3)

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to GB CLP (SI 2019:720 as amended)
2-aminoethanol; ethanolamine	CAS-No.: 141-43-5 EC-No.: 205-483-3 UK Index-No.: 603-030-00-8 REACH-no: 01-2119486455-28	70 – 90	Acute Tox. 4 (Oral), H302 (ATE=500 mg/kg bodyweight) Acute Tox. 4 (Dermal), H312 (ATE=1100 mg/kg bodyweight) Acute Tox. 4 (Inhalation), H332 (ATE=11 mg/l/4h) Skin Corr. 1, H314 Eye Dam. 1, H318
Potassium Hydroxide; Caustic Potash	CAS-No.: 1310-58-3 EC-No.: 215-181-3 UK Index-No.: 019-002-00-8 REACH-no: 01-2119487136-33	10 – 30	Acute Tox. 4 (Oral), H302 (ATE=500 mg/kg bodyweight) Skin Corr. 1A, H314

Specific concentration limits:		
Name	**Product identifier**	**Specific concentration limits (%)**
2-aminoethanol; ethanolamine	CAS-No.: 141-43-5 EC-No.: 205-483-3 UK Index-No.: 603-030-00-8 REACH-no: 01-2119486455-28	(5 ≤ C ≤ 100) STOT SE 3; H335

Specific concentration limits:		
Name	**Product identifier**	**Specific concentration limits (%)**
Potassium Hydroxide; Caustic Potash	CAS-No.: 1310-58-3 EC-No.: 215-181-3 UK Index-No.: 019-002-00-8 REACH-no: 01-2119487136-33	(0.5 ≤ C < 2) Skin Irrit. 2; H315 (0.5 ≤ C < 2) Eye Irrit. 2; H319 (2 ≤ C < 5) Skin Corr. 1B; H314 (5 ≤ C ≤ 100) Skin Corr. 1A; H314

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/doctor if you feel unwell. Immediately call a POISON CENTER/doctor.

First-aid measures after skin contact : Immediately call a POISON CENTER/doctor. Specific measures (see supplemental first aid instruction on this label). Wash with plenty of water/…. Wash contaminated clothing before reuse. Take off immediately all contaminated clothing. Rinse skin with water/shower.

First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor.

First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Call a POISON CENTER/doctor if you feel unwell. Immediately call a POISON CENTER/doctor.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects : Causes severe skin burns and eye damage.

Symptoms/effects after inhalation : Danger of serious damage to health by prolonged exposure through inhalation. May cause respiratory irritation.

Symptoms/effects after skin contact : Repeated exposure to this material can result in absorption through skin causing significant health hazard.

Symptoms/effects after ingestion : Swallowing a small quantity of this material will result in serious health hazard.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Foam. Dry powder. Carbon dioxide. Water spray. Sand.

Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

No additional information available

5.3. Advice for firefighters

Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire fighting water from entering the environment.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment	:	Equip cleanup crew with proper protection.
Emergency procedures	:	Ventilate area.

6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up	:	Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.

6.4. Reference to other sections

See Section 8. Exposure controls and personal protection.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling	:	Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour. Use only outdoors or in a well-ventilated area. Avoid breathing vapours. Do not breathe fume, vapours. Avoid contact during pregnancy/while nursing.
Hygiene measures	:	Do not eat, drink or smoke when using this product. Wash hands and forearms thoroughly after handling.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures	:	Comply with applicable regulations.
Storage conditions	:	Keep only in the original container in a cool, well ventilated place away from : Keep only in original container, Store in a well-ventilated place. Keep container tightly closed.
Incompatible products	:	Strong bases. Strong acids.
Incompatible materials	:	Sources of ignition. Direct sunlight.

7.3. Specific end use(s)

Wheel Paint Stripping.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

2-aminoethanol; ethanolamine (141-43-5)	
United Kingdom - Occupational Exposure Limits	
Local name	2-Aminoethanol
WEL TWA (OEL TWA)	2.5 mg/m³
	1 ppm
WEL STEL (OEL STEL)	7.6 mg/m³
	3 ppm
Remark	Sk (Can be absorbed through the skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic toxicity)
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE

Potassium Hydroxide; Caustic Potash (1310-58-3)	
United Kingdom - Occupational Exposure Limits	
Local name	Potassium hydroxide
WEL STEL (OEL STEL)	2 mg/m³
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:
Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Provide local exhaust or general room ventilation.

8.2.2. Personal protection equipment

Personal protective equipment:
Avoid all unnecessary exposure.
Personal protective equipment symbol(s):



8.2.2.1. Eye and face protection

Eye protection:
Chemical goggles or face shield

Eye protection			
Type	**Field of application**	**Characteristics**	**Standard**
Safety goggles, Face shield		clear	

8.2.2.2. Skin protection

Skin and body protection:
Wear suitable protective clothing

Skin and body protection	
Type	**Standard**
apron	

Hand protection:
Wear protective gloves.

Hand protection					
Type	**Material**	**Permeation**	**Thickness (mm)**	**Penetration**	**Standard**
Reusable gloves	Polyvinylchloride (PVC)	2 (> 30 minutes)			

Other skin protection
Materials for protective clothing:
Wear protective clothing

8.2.2.3. Respiratory protection

Respiratory protection:
Wear appropriate mask

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Other information:
Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	:	Liquid
Appearance	:	Clear, colorless liquid.
Colour	:	clear. Colourless. Yellow.
Odour	:	Amine-like.
Odour threshold	:	Not available
pH	:	> 12
Melting point	:	Not available
Freezing point	:	Not available
Boiling point	:	> 100 °C
Flash point	:	> 100 °C
Explosive limits	:	Not available
Vapour pressure	:	Not available
Vapour pressure at 50°C	:	Not available
Relative vapour density at 20°C	:	Not available
Relative density	:	Not available
Density	:	Not available
Solubility	:	Not available
Partition coefficient n-octanol/water (Log Kow)	:	Not available
Auto-ignition temperature	:	Not available
Decomposition temperature	:	Not available
Viscosity, kinematic	:	Not available
Explosive properties	:	Not available

9.2. Other information

Particle characteristics	:	Not applicable

SECTION 10: Stability and reactivity

10.1. Reactivity

Corrosive vapours.

10.2. Chemical stability

Not established.

10.3. Possibility of hazardous reactions

Not established.

10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures.

10.5. Incompatible materials

Strong acids. Strong bases.

10.6. Hazardous decomposition products

fume. Carbon monoxide. Carbon dioxide. Thermal decomposition generates : Corrosive vapours.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral) : Harmful if swallowed.
Acute toxicity (dermal) : Harmful in contact with skin.
Acute toxicity (inhalation) : Inhalation:vapour: Harmful if inhaled.

AL-W Special Additive	
ATE UK (oral)	500 mg/kg bodyweight
ATE UK (dermal)	1294.118 mg/kg bodyweight
ATE UK (vapours)	12.941 mg/l/4h

Skin corrosion/irritation : Causes severe skin burns.
pH: > 12

2-aminoethanol; ethanolamine (141-43-5)	
pH	12.1

Serious eye damage/irritation : Causes serious eye damage.
pH: > 12

2-aminoethanol; ethanolamine (141-43-5)	
pH	12.1

Respiratory or skin sensitisation : Not classified (Based on available data, the classification criteria are not met)
Germ cell mutagenicity : Not classified (Based on available data, the classification criteria are not met)
Carcinogenicity : Not classified (Based on available data, the classification criteria are not met)
Reproductive toxicity : Not classified (Based on available data, the classification criteria are not met)
STOT-single exposure : May cause respiratory irritation.
STOT-repeated exposure : Not classified (Based on available data, the classification criteria are not met)
Aspiration hazard : Not classified (Based on available data, the classification criteria are not met)

2-aminoethanol; ethanolamine (141-43-5)	
Viscosity, kinematic	22.725 mm²/s

11.2. Information on other hazards

11.2.1. Endocrine disrupting properties

No additional information available

11.2.2. Other information

Potential adverse human health effects and symptoms : Harmful if swallowed,Harmful in contact with skin,Harmful if inhaled.

SECTION 12: Ecological information

12.1. Toxicity

Hazardous to the aquatic environment, short–term (acute) : Not classified (Based on available data, the classification criteria are not met)

Hazardous to the aquatic environment, long–term (chronic) : Not classified (Based on available data, the classification criteria are not met)

12.2. Persistence and degradability

AL-W Special Additive	
Persistence and degradability	Not established.

2-aminoethanol; ethanolamine (141-43-5)	
Persistence and degradability	Rapidly degradable

Potassium Hydroxide; Caustic Potash (1310-58-3)	
Persistence and degradability	Rapidly degradable

12.3. Bioaccumulative potential

AL-W Special Additive	
Bioaccumulative potential	Not established.

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

Component	
2-aminoethanol; ethanolamine (141-43-5)	This product does not contain substances at ≥0.1% that meet the PBT criteria of UK REACH regulation, annex XIII This product does not contain substances at ≥0.1% that meet the vPvB criteria of UK REACH regulation, annex XIII
Potassium Hydroxide; Caustic Potash (1310-58-3)	This product does not contain substances at ≥0.1% that meet the PBT criteria of UK REACH regulation, annex XIII This product does not contain substances at ≥0.1% that meet the vPvB criteria of UK REACH regulation, annex XIII

12.6. Other adverse effects

Additional information : Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

Product/Packaging disposal recommendations : Dispose in a safe manner in accordance with local/national regulations. Dispose of contents/container to an approved waste disposal plant.

Ecological waste information : Avoid release to the environment.

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	IATA	ADN	RID
14.1. UN number				
UN 3266	UN 3266	UN 3266	UN 3266	UN 3266
14.2. UN proper shipping name				
CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (CONTAINS ; 2-aminoethanol; ethanolamine ; Potassium Hydroxide; Caustic Potash)	CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (CONTAINS ; 2-aminoethanol; ethanolamine ; Potassium Hydroxide; Caustic Potash)	Corrosive liquid, basic, inorganic, n.o.s. (CONTAINS ; 2-aminoethanol; ethanolamine ; Potassium Hydroxide; Caustic Potash)	CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (CONTAINS ; 2-aminoethanol; ethanolamine ; Potassium Hydroxide; Caustic Potash)	CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (CONTAINS ; 2-aminoethanol; ethanolamine ; Potassium Hydroxide; Caustic Potash)
Transport document description				
UN 3266 CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (CONTAINS ; 2-aminoethanol; ethanolamine ; Potassium Hydroxide; Caustic Potash), 8, II, (E)	UN 3266 CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (CONTAINS ; 2-aminoethanol; ethanolamine ; Potassium Hydroxide; Caustic Potash), 8, II	UN 3266 Corrosive liquid, basic, inorganic, n.o.s. (CONTAINS ; 2-aminoethanol; ethanolamine ; Potassium Hydroxide; Caustic Potash), 8, II	UN 3266 CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (CONTAINS ; 2-aminoethanol; ethanolamine ; Potassium Hydroxide; Caustic Potash), 8, II	UN 3266 CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (CONTAINS ; 2-aminoethanol; ethanolamine ; Potassium Hydroxide; Caustic Potash), 8, II
14.3. Transport hazard class(es)				
8	8	8	8	8
				
14.4. Packing group				
II	II	II	II	II
14.5. Environmental hazards				
Dangerous for the environment: False	Dangerous for the environment: False Marine pollutant: No	Dangerous for the environment: False	Dangerous for the environment: False	Dangerous for the environment: False
No supplementary information available				

14.6. Special precautions for user

Overland transport

Classification code (ADR)	:	C5
Special provisions (ADR)	:	274
Limited quantities (ADR)	:	0
Excepted quantities (ADR)	:	E0
Packing instructions (ADR)	:	P001
Mixed packing provisions (ADR)	:	MP8, MP17
Portable tank and bulk container instructions (ADR)	:	T14
Portable tank and bulk container special provisions (ADR)	:	TP2, TP27
Tank code (ADR)	:	L10BH
Vehicle for tank carriage	:	AT
Transport category (ADR)	:	1
Special provisions for carriage - Operation (ADR)	:	S20
Hazard identification number (Kemler No.)	:	88

Orange plates	:	
Tunnel restriction code (ADR)	:	E
EAC code	:	2X
APP code	:	B

Transport by sea

Special provisions (IMDG)	:	274
Packing instructions (IMDG)	:	P001
Tank instructions (IMDG)	:	T14
Tank special provisions (IMDG)	:	TP2, TP27
EmS-No. (Fire)	:	F-A
EmS-No. (Spillage)	:	S-B
Stowage category (IMDG)	:	B
Stowage and handling (IMDG)	:	SW2
Segregation (IMDG)	:	SG35
Properties and observations (IMDG)	:	Reacts violently with acids. Causes burns to skin, eyes and mucous membranes.

Air transport

PCA Excepted quantities (IATA)	:	E0
PCA Limited quantities (IATA)	:	Forbidden
PCA limited quantity max net quantity (IATA)	:	Forbidden
PCA packing instructions (IATA)	:	850
PCA max net quantity (IATA)	:	0.5L
CAO packing instructions (IATA)	:	854
CAO max net quantity (IATA)	:	2.5L
Special provisions (IATA)	:	A3
ERG code (IATA)	:	8L

Inland waterway transport

Classification code (ADN)	:	C5
Special provisions (ADN)	:	274
Limited quantities (ADN)	:	0
Excepted quantities (ADN)	:	E0
Carriage permitted (ADN)	:	T
Equipment required (ADN)	:	PP, EP
Number of blue cones/lights (ADN)	:	0

Rail transport

Classification code (RID)	:	C5
Special provisions (RID)	:	274
Limited quantities (RID)	:	0
Excepted quantities (RID)	:	E0
Packing instructions (RID)	:	P001
Mixed packing provisions (RID)	:	MP8, MP17
Portable tank and bulk container instructions (RID)	:	T14
Portable tank and bulk container special provisions (RID)	:	TP2, TP27
Tank codes for RID tanks (RID)	:	L10BH
Special provisions for RID tanks (RID)	:	TU38, TE22
Transport category (RID)	:	1
Hazard identification number (RID)	:	88

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

UK REACH Annex XVII (Restriction List)

UK restriction list (REACH Annex XVII)		
Reference code	**Applicable on**	**Entry title or description**
3(b)	AL-W Special Additive ; 2-aminoethanol; ethanolamine	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10

UK REACH Annex XIV (Authorisation List)

This product contains no substance(s) listed on UK REACH Annex XIV (Authorisation List) equal to or above the 0.1% level of disclosure

UK REACH Candidate List (SVHC)

Contains no substance(s) listed on the UK REACH Candidate List

GB PIC regulation (Prior Informed Conset)

This product contains no substance(s) listed on the GB PIC List equal to or above the level of SDS disclosure

POP Regulation (Persistent Organic Pollutants)

This product contains no substance(s) listed on the GB POP List equal to or above the level of SDS disclosure

Ozone Regulation (S.I. No. 168 of 2015)

This product contains no substance(s) listed on the GB Ozone Depletion List equal to or above the level of SDS disclosure

Control of Poisons and Explosives Precursors Act

This product contains substance(s) listed on the Control of Poisons and Explosives Precursors Regulations equal to or above the level of SDS disclosure: Potassium hydroxide - 1310-58-3 (17 % of total caustic alkalinity)
This product contains no substance(s) listed as a regulated poison on the Control of Poisons and Explosives Precursors Regulations equal to or above the level of SDS disclosure
This product contains no substance(s) listed as a reportable explosive precursor on the Control of Poisons and Explosives Precursors Regulations equal to or above the level of SDS disclosure
This substance is not listed as a regulated poison on the Control of Poisons and Explosives Precursors Regulations

Drug Precursors Regulation (273/2004)

This product contains no substance(s) listed on the GB Drug Precursors List equal to or above the level of SDS disclosure

15.1.2. Other Information

15.2. Chemical safety assessment

No additional information available

SECTION 16: Other information

Data sources : REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.

Other information : None.

Full text of H- and EUH-statements:	
Acute Tox. 4 (Dermal)	Acute toxicity (dermal), Category 4
Acute Tox. 4 (Inhalation)	Acute toxicity (inhal.), Category 4
Acute Tox. 4 (Inhalation:vapour)	Acute toxicity (inhalation:vapour) Category 4

Full text of H- and EUH-statements:	
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.
Skin Corr. 1	Skin corrosion/irritation, Category 1
Skin Corr. 1A	Skin corrosion/irritation, Category 1, Sub-Category 1A
Skin Corr. 1B	Skin corrosion/irritation, Category 1, Sub-Category 1B
Skin Irrit. 2	Skin corrosion/irritation, Category 2
STOT SE 3	Specific target organ toxicity – Single exposure, Category 3, Respiratory tract irritation

Safety Data Sheet (SDS), UK

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.